

Table des matières

La commande blkid liste des UUIDs, les Labels et Types de toutes les partitions montées. 2

***Utilisation* 2**



La commande blkid liste des UUIDs, les Labels et Types de toutes les partitions montées.

Utilisation

```
sudo blkid
```

vous renvoie quelque chose comme :

```
/dev/sda1: UUID="8bf33340-e94c-4c4c-981d-35e73f8bc65c" TYPE="ext4"  
/dev/sda2: UUID="ac56a704-260b-45f5-85ac-e1b451bb79bc" TYPE="swap"  
/dev/sda3: LABEL="Home" UUID="8244710a-5cce-49ad-8b93-a92b5d2e53a0"  
TYPE="ext4"  
/dev/sda4: UUID="DCF041AFF0419126" TYPE="ntfs"
```

Mieux encore

```
sudo blkid | grep UUID=
```

```
/dev/mapper/nvme0n1p3_crypt: UUID="KHF2a0-ny01-5PRc-kBMe-jcM3-ypEC-lGoWwo" TYPE="LVM2_member"  
/dev/mapper/vgubuntu-swap_1: UUID="94fec96b-8e72-4526-8d89-0365e0483b07" TYPE="swap"  
/dev/mapper/vgubuntu-root: UUID="f408a91a-0304-42e0-92ac-5b41b02e1fc4" BLOCK_SIZE="4096" TYPE="ext4"  
/dev/nvme0n1p1: UUID="2944-139A" BLOCK_SIZE="512" TYPE="vfat" PARTLABEL="EFI System Partition" PARTUUID="c072c6e3-5ec8-4c8d-849a-1ea2bc8a8fa8"  
/dev/nvme0n1p2: UUID="bc392e1e-1042-4e31-8687-940712d299d2" BLOCK_SIZE="4096" TYPE="ext4" PARTUUID="2152cb56-c959-4c2d-874f-f370290b6679"  
/dev/nvme0n1p3: UUID="7f086f69-acbe-42f9-b5e4-602bc180af31" TYPE="crypto LUKS" PARTUUID="17edb579-bb89-4795-88b9-286df8aac392"  
/dev/mapper/luks-a7f06e0b-4866-4dd5-95ad-0f8a47fb9603: LABEL="SSD_M2_512Go" UUID="8515be50-809b-402e-9f96-7c237564d138" BLOCK_SIZE="4096" TYPE="ext4"  
/dev/sdb: PTUUID="83eed23f" PTTYPE="dos"  
/dev/sdc1: LABEL="E2B" BLOCK_SIZE="512" UUID="18A299A8A2998B40" TYPE="ntfs" PARTUUID="83eed23f-01"  
/dev/sdc2: LABEL="UEFI" UUID="80A2-6283" BLOCK_SIZE="512" TYPE="vfat" PARTUUID="83eed23f-02"  
/dev/sdc3: LABEL="KEY'S" BLOCK_SIZE="512" UUID="4434929E34929292" TYPE="ntfs" PARTUUID="83eed23f-03"  
/dev/sdc4: BLOCK_SIZE="2048" UUID="2019-09-24-08-55-27-00" LABEL="Acronis Media" TYPE="iso9660" PTTYPE="dos" PARTUUID="83eed23f-04"
```

Ou alors,

```
ls -l /dev/disk/by-uuid
```

vous permet de connaître les droits d'accès, le propriétaire, la date et l'heure de création et, enfin, l'UUID.

```
total 0  
lrwxrwxrwx 1 root root 10 oct. 22 18:05 2c313d40-6bdc-4e42-917a-  
b04f88764aac -> ../../sdb1  
lrwxrwxrwx 1 root root 10 oct. 22 18:05 8244710a-5cce-49ad-8b93-  
a92b5d2e53a0 -> ../../sda3  
lrwxrwxrwx 1 root root 10 oct. 22 18:05 8bf33340-  
e94c-4c4c-981d-35e73f8bc65c -> ../../sda1  
lrwxrwxrwx 1 root root 10 oct. 22 18:05 ac56a704-260b-45f5-85ac-  
e1b451bb79bc -> ../../sda2
```

```
lrwxrwxrwx 1 root root 10 oct. 22 18:05 DCF041AFF0419126 -> ../../sda4
```

From:

<https://wiki.mazinger.fr/wiki/> - **My Personal Wiki**

Permanent link:

<https://wiki.mazinger.fr/wiki/doku.php?id=linux:commande:shell:blkid>

Last update: **2024/03/03 12:56**

