

# Table des matières

**Gestion du Bluetooth en commande** ..... 2



# Gestion du Bluetooth en commande

## Afficher le status de la clé Bluetooth

```
/etc/init.d/bluetooth status
```

Retourne:

```
[ok] bluetooth is running.
```

## Lister les adaptateurs Bluetooth:

```
hcitool dev
```

Retourne:

```
Devices:  
hci0 00:1A:7D:DA:71:B9
```

## Scanner les appareils Bluetooth:

```
hcitool scan
```

Retourne:

```
00:09:DD:50:88:70 LYSV142903B
```

## Tester la connexion Bluetooth vers LYSV142903B:

```
sudo l2ping -c 1 00:09:DD:50:88:70
```

Retourne:

```
Ping: 00:09:DD:50:88:70 from 00:1A:7D:DA:71:11 (data size 44) ...  
0 bytes from 00:09:DD:50:88:70 id 0 time 14.70ms  
1 sent, 1 received, 0% loss
```

notre test fonctionne correctement.

— [sylvain](#) 2020/02/15 11:54

From:

<https://wiki.mazinger.fr/wiki/> - **My Personal Wiki**

Permanent link:

<https://wiki.mazinger.fr/wiki/doku.php?id=linux:commande:shell:bluetooth>

Last update: **2024/03/03 12:56**

