

Table des matières

Editer Conf VM 2



Editer Conf VM

Afin de pouvoir changer les paramètres d'un VM dans Proxmox plus simplement, nous pouvons éditer directement son fichier de configuration.

```
ls -l /etc/pve/qemu-server
-rw-r----- 1 root www-data 373 Apr 21 04:16 100.conf
-rw-r----- 1 root www-data 352 Apr 21 12:09 101.conf
-rw-r----- 1 root www-data 409 Apr 17 16:45 102.conf
-rw-r----- 1 root www-data 444 Apr 17 19:23 103.conf
-rw-r----- 1 root www-data 313 Apr 18 18:03 104.conf
```

Editer la configuration de la VM voulu:

```
nano 100.conf
```

```
#login root
#passwd XXXXXX
balloon: 2048
bootdisk: scsi0
cores: 2
ide2: none,media=cdrom
memory: 6096
name: PROXMOX-LINUX
net0: virtio=76:5B:FD:73:05:99,bridge=vbr0
numa: 0
onboot: 1
ostype: l26
scsi0: local-zfs:vm-100-disk-0,size=32G
scsihw: virtio-scsi-pci
smbios1: uuid=4dbf315c-e84c-413d-9d6f-b5568bc2bb0b
sockets: 2
vmgenid: dd57983e-72b8-46c5-8b7e-f099727ed53a
```

— [sylvain](#) 2020/04/21 14:24

From:

<https://wiki.mazinger.fr/wiki/> - **My Personal Wiki**

Permanent link:

<https://wiki.mazinger.fr/wiki/doku.php?id=linux:proxmox:editervm>

Last update: **2024/03/03 12:56**

